		Jo	b Sheet fo	or Seeding					
Planned by:	MO Mix 37 CP38E-25 S	and Eco	Date:			County:			
Client:			Address:			county.		_	
Farm(s):		Tract(s):		Fields:			CIN#:		
Acres:	1.00	Program:							
Primary / Cost-shared FOTG Pra		Wildlife Habitat Plantin	ng (420)	Second	ary FOTG	Practice:			
Primary Purpose of Seeding:			3()						
Site Soil Group:			OR	Ecological Site:					
Additional Information:									
	Seedbo	ed Preparation	for Grass	and/or For	ˈb/Legu	ume Se	eding		
Current Conditions:									
Conditions Desired at Planting:	a pollinator forb only Suppressed existing	n; for example from intr planting)	oduced cool sea er-seeding of leg	son grasses to na gumes on pasture	tive warm s eland or na	season gras itive forbs o	sses or from warm sea		
Seed Mix Contains:	Cool Season Grass		arm Season Gra	sees (majority)	Nati	ive Forbs		luced Legumes	
Planting Method:		Interseeding:		lanting Season:		IVE FOIDS		luceu Leguines	
Acceptable Planting Dates:		Optimal Plan							
, looop as lo i la hanning salooi		-							
Seedbed Prep:									
Seed Placement:									
Additional Instructions:									
Fertilizer and Lime									
Planned									
Is Fertilizer and/or Lime Needed? Program rules and/or plann Program rules and/or plann and/or fertilizer). Apply fer Program rules and/or plann (as for constructed fills and	ned practice(s) do not requied practices require soil a tilizer and/or lime accordined practices require soil a	mendments be applied ng to soil test recomme	according to a r ndations as indic	ecent soil test (les ated below.	ss than 4 ye	ears old an	d after the most recei		5
Soil Test Recommendations									
Salt pH from soil test results:		_	Lime* I	N P ₂ O ₅	K ₂ O				
		lbs/ac							
		Total Needed	Not req.	0 0	0				
Blanket rates for constructed fills current soil test is not availat What legumes are included in the When to apply lime:	ble:	lbs/ac Total Needed ne Alfalfa c	#N/A #N/A	umes other than A	Alfalfa	Warm	n Season Legumes		
When to apply fertilizer:	No fertilizer will be applied	d. Soil nutrients are with	hin ranges requir	ed for the planne	d species t	that will be	planted.		

Additional Information:					
Companion Crop Specifications					
	hed prior to or at the same time as a permanent and and managed to minimize competion with the		or legumes.		
	None Planned Redtop Spring Oats	· ·	Rate per Acre (lbs):	Total Bulk Lbs to Seed:	
Additional Information:					
Applied					
Companion Crop Planted:	Oats Winter Wheat	Total Bulk Lbs Planted:	Lbs Lbs/Ac 0.0		

U.S. Department of Agriculture

Natural Resources Conservation Service

Seeding Mix Summary												
Acres to be Seeded:	1.00											
Practice Adjustment Factor:			Broadca	st Adjustme	ent Factor:			Intersee	ding Adjus	tment Factor:	1	
Apply Adjustment Factors to:												
Planned Seed Mix Seed Mix Purchased and Planted												
Species	Acceptable Cultivar(s)	PLS Ibs/ac	Total PLS Ibs Needed	Bulk Ibs Seeded	% Purity	% Germ	% Dormant/ Hard Seed	PLS lbs Planted	Shortage/ Excess	% of Mix	Cultivar OR Origin for MO Source Identified Class Seed	Meets all Require- ments
Broomsedge (Bluestem), Andropogon virginicus	No cultivars available	0.280	0.280						-0.280			
Little Bluestem, Schizachyrium scoparium	Aldous (statewide), Camper (north MO), Cimarron (south MO - sandy sites only), Ozark (statewide), Yellow Tag (statewide)	0.350	0.350						-0.350			
Splitbeard Bluestem, Andropogon ternarius	No cultivars available	1.400	1.400						-1.400			
Black-eyed Susan (B), Rudbeckia hirta		0.075	0.075						-0.075			
Blue Lobelia, Lobelia siphilitica		0.008	0.008						-0.008			
Canada Milkvetch, Astragalus canadensis		0.036	0.036						-0.036			
Common Evening Primrose (B), Oenothera biennis		0.020	0.020						-0.020			
False Sunflower, Heliopsis helianthoides		0.050	0.050						-0.050			
Foxglove Beardtongue, Penstemon digitalis		0.030	0.030						-0.030			
Golden Alexanders, Zizia aurea		0.070	0.070						-0.070			
Gray Goldenrod, Solidago nemoralis		0.040	0.040						-0.040			
Gray-headed Coneflower, Ratibida pinnata	Available: Sunglow (statewide)	0.055	0.055						-0.055			
Illinois Bundleflower, Desmanthus illinoensis	Available: Reno Germplasm (statewide)	0.150	0.150						-0.150			
Lanceleaf Coreopsis, Coreopsis Ianceolata		0.242	0.242						-0.242			
Maximilian Sunflower, Helianthus maximiliani		0.010	0.010						-0.010			
Pale Purple Coneflower, Echinacea pallida		0.030	0.030						-0.030			
Prairie Cinquefoil, Drymocallis arguta		0.032	0.032						-0.032			
Purple Coneflower, Echinacea purpurea		0.150	0.150						-0.150			

laeve Stiff Goldenrod, Oligoneuron rigidum, Solidago rigida		0.010	0.010			-0.010		
rigidum, Solidago rigida Upright Prairie Coneflower,								
		0.100	0.100			-0.100		
Upright Prairie Coneflower,								
rigidum, Solidago rigida								
Stiff Goldenrod, Oligoneuron		0.010	0.010			-0.010		
		0.010	0.010			-0.010		
Showy Ticktrefoil, Desmodium canadense	Available: Alexander Germplasm (statewide)	0.040	0.040			-0.040		
Roundhead Lespedeza, Lespedeza capitata	Available: Kanoka (statewide)	0.020	0.020			-0.020		
Rattlesnake Master, Eryngium yuccifolium		0.020	0.020			-0.020		
Purple Prairie Clover, Dalea purpurea	Available: Kaneb (statewide)	0.338	0.338			-0.338		

Customer and Seed Dealer Please Note:

Only viable, high quality and adapted seed will be used. All seed shall have a current seed test within 10 months of the planting date that lists germination, purity, and hard seed as a percentage for determining pure live seed and lists the percent of weed seed present that meets State seed quality law standards. Seed test results must be provided to the customer and USDA for confirmation that seed planted meets specifications outlined in this plan. Seed must be clean and relatively free of weed seed and contaminants. Seed that has become wet, moldy, or otherwise damaged in transit or storage is not acceptable. Certified seed is preferred but not required unless Missouri Source Identified Class Seed, or yellow tag, is denoted as being required.

Legume seed shall be inoculated with the proper, viable Rhizobium bacteria species prior to planting according to Missouri Agronomy Technical Note MO-36, "Legume Inoculation." Pre-inoculated seed shall be planted prior to the expiration date on the inoculum tag or be re-inoculated with the appropriate inoculum within 24 hours prior to seeding. Inoculated seed will not be exposed to direct sunlight. Inoculation of legumes may be waived when a current pasture inventory (JS-AGRON-24 or similar inventory) shows that the legume species to be seeded occupies more than 5 percent of the vegetative cover on the site prior to seeding.

For "Acceptable Cultivar(s)," north Missouri (MO) is all counties north of Bates, Henry, Benton, Morgan, Moniteau, Cole, Osage, Gasconade, Franklin, and St. Louis Counties. South Missouri is all counties including and south of those listed. Refer to Native Cultivars or Selections Information Sheet (IS-MO723N) for guidance on selecting the appropriate native grass cultivars to meet objectives. In all cases where a cultivar(s) is/are noted under the Acceptable Cultivar(s) heading above, Missouri Source Identified Class Seed (yellow tag seed) may be used instead of a cultivar variety or selection.

The following information applies only if "Locally adapted Missouri Source Identified Class Seed (yellow tag) required" is shown under the "Acceptable Cultivar(s)" heading above: Locally adapted Missouri Source Identified Class Seed, or yellow tag, is defined as a native plant that source genetically originated in Missouri, was not introduced, and existed within the state borders prior to arrival of settlers. All seed from herbaceous material shall comply with Missouri seed laws including Missouri Crop Improvement Association guidance. All seed will comply with AOSCA (Association of Official Seed Certifying Agencies) certification procedures (including appropriate tagging) to include third-party verification by the Missouri Orop Improvement Association of source, genetic identity, and genetic purity of wildland collected or field or nursery grown plant germplasm materials. Seed must be Missouri origin (grown in Missouri) and certified as Missouri Source Identified Class. Source Identified Class, source, and lack of noxious weeds; and seed is certified for purity and germination. If Missouri origin (grown) source identified class seed is not available, Missouri source identified class seed may be obtained from adjoining states.

Mulching Specifications (After Grass Seeding)									
Type of Mulch Required: 📃 None 📃 Straw, Grass Hay, Alfalfa Hay - 1 1/2 to 2 1/2 Tons/Acre									
Amount of Mulch Required for This Site:									
Minimum Rate (lbs):	3,000 OR	Tons: 1.50	Maximum Rate (lbs): 5,	000 OR To	ns: 2.5				
Additional Information: n/a									
Applied									
Type of Mulch Used:									
Number of Bales:	Bale W	/eight, lbs:	Mulch Applied, Tons:	Exc	ess/Shortage, Tons:				
Based on the information in this job shee	et, all requirements for this see	ding should be completed b	ру:	Year:					
Was site prep completed as	s outlined above?								
Seeding was completed on		o the above requirements.							
	(Date)								
Producer's or Contra	actor's Signature		Date						
For NRCS Use Only:									
Does this seeding meet all NRCS standard	ds and specifications and was	implemented as planned at	oove?						
Certified by:									
NRCS	Representative		Date	Field Offic	ce				
Additional Comments:									
When seeding is completed	return seeding plan to the Na	atural Resources Conservat	tion Service with all receipts per	taining to this seeding (see	ad fertilzer lime mulch				
When seeding is completed, return seeding plan to the Natural Resources Conservation Service with all receipts pertaining to this seeding (seed, fertilzer, lime, mulch, companion crop, labor, drill rental, etc.) and seed tests, including tags for yellow tag seed.									