	Job Sheet for Seeding
Planned by:	MO Mix 38 CP38E-42 Sand Date: County:
Client:	Address:
Farm(s):	Tract(s): Fields: CIN#:
Acres:	1.00 Program:  Widdie Hebitet Planting (420)
Primary / Cost-shared FOTG Pra	actice: Wildlife Habitat Planting (420) Secondary FOTG Practice:
Primary Purpose of Seeding:	OR Ecological Site:
Site Soil Group: Additional Information:	OR Ecological Site.
Additional information.	
	Seedbed Preparation for Grass and/or Forb/Legume Seeding
Current Conditions:	
Conditions Desired at Planting:	<ul> <li>Row crop stubble or tilled seed bed (to incorporate amendments, level field, or following construction operations)</li> <li>Killed sod (renovation; for example from introduced cool season grasses to native warm season grasses or from warm season grasses to a pollinator forb only planting)</li> <li>Suppressed existing vegetation, as for an inter-seeding of legumes on pastureland or native forbs on natural communities</li> <li>Slopes that are 4:1 or steeper that will receive a critical area planting (broadcast planting method only)</li> </ul>
Seed Mix Contains:	Cool Season Grasses (majority) Warm Season Grasses (majority) Native Forbs Native/Introduced Legumes
Planting Method:	Interseeding: No Planting Season:
Acceptable Planting Dates:	Optimal Planting Dates:
	<u> </u>
Seedbed Prep:  Seed Placement:  Additional Instructions:	
Fertilizer and Lime	
Planned	
Is Fertilizer and/or Lime Needed?	
Program rules and/or plann and/or fertilizer). Apply fertilizer	ned practice(s) do not require soil amendments (example - general CRP plantings, wildlife plantings on cropland) ned practices require soil amendments be applied according to a recent soil test (less than 4 years old and after the most recent application of liming material tilizer and/or lime according to soil test recommendations as indicated below. ned practices require soil amendments. Blanket rates will be used for a Critical Area Planting (342) as indicated below because a recent soil test is not available finished grades).
Soil Test Recommendations	
Salt pH from soil test results:	Lime* N P <sub>2</sub> O <sub>5</sub> K <sub>2</sub> O
	Total Needed Not req. 0 0 0
Blanket rates for constructed fills current soil test is not available	
What legumes are included in the	e seed mix?  None  Alfalfa  Cool Season Legumes other than Alfalfa  Warm Season Legumes
When to apply lime:	
When to apply fertilizer:	No fertilizer will be applied. Soil nutrients are within ranges required for the planned species that will be planted.

## U.S. Department of Agriculture Natural Resources Conservation Service

Revised 9/2017

	•				_	
Additional Information:						
				<del></del>	<del></del>	
Companion Crop Specifications						
A companion crop may be establis The companion crop will be select				nd/or legumes.		
Planned Companion Crop:	None Planned Redto	op Spring Oats	Winter Wheat	Rate per Acre (lbs):	Total Bulk Lbs to Seed:	
Additional Information:						
Applied						
Companion Crop Planted:			To	tal Lbs Lbs/Ac		
Redtop Spring	Oats Winter Wheat		Bulk Lbs Planted:	0.0		

Seeding Mix Summary												
Acres to be Seeded:	1.00											
Practice Adjustment Factor:			Broadca	st Adjustme	ent Factor:		5	Intersee	ding Adjust	ment Factor:	1	
Apply Adjustment Factors to:			-									
Planned Seed Mix Seed Mix Purchased and Planted												
							%				Cultivar OR	Meets
Species	Acceptable Cultivar(s)	PLS lbs/ac	Total PLS lbs Needed	Bulk lbs Seeded	% Purity	% Germ	Dormant/ Hard Seed	PLS lbs Planted	Shortage/ Excess	% of Mix	Origin for MO Source Identified Class Seed	all Require- ments
Black-eyed Susan (B), Rudbeckia hirta		0.030	0.030						-0.030			
Blue Lobelia, Lobelia siphilitica		0.010	0.010						-0.010			
Canada Milkvetch, Astragalus canadensis		0.075	0.075						-0.075			
Common Evening Primrose (B), Oenothera biennis		0.020	0.020						-0.020			
False Sunflower, Heliopsis helianthoides		0.140	0.140						-0.140			
Foxglove Beardtongue, Penstemon digitalis		0.030	0.030						-0.030			
Golden Alexanders, Zizia aurea		0.075	0.075						-0.075			
Gray Goldenrod, Solidago nemoralis		0.030	0.030						-0.030			
Gray-headed Coneflower, Ratibida pinnata	Available: Sunglow (statewide)	0.148	0.148						-0.148			
Illinois Bundleflower, Desmanthus illinoensis	Available: Reno Germplasm (statewide)	0.150	0.150						-0.150			
Lanceleaf Coreopsis, Coreopsis lanceolata		0.157	0.157						-0.157			
Maximilian Sunflower, Helianthus maximiliani		0.010	0.010						-0.010			
Pale Purple Coneflower, Echinacea pallida		0.030	0.030						-0.030			
·	Available: Riley (statewide), Lark Selection (statewide)	0.130	0.130						-0.130			
Prairie Cinquefoil, Drymocallis arguta		0.019	0.019						-0.019			
Purple Coneflower, Echinacea purpurea		0.360	0.360						-0.360			
Purple Prairie Clover, Dalea purpurea	Available: Kaneb (statewide)	0.300	0.300						-0.300			
Rattlesnake Master, Eryngium yuccifolium		0.020	0.020						-0.020			
Roundhead Lespedeza, Lespedeza capitata	Available: Kanoka (statewide)	0.020	0.020						-0.020			
Showy Ticktrefoil, Desmodium canadense	Available: Alexander Germplasm (statewide)	0.040	0.040						-0.040			

Smooth Aster, Symphyotrichum laeve	0.020	0.020			-0.020		
Stiff Goldenrod, Oligoneuron rigidum, Solidago rigida	0.010	0.010			-0.010		
Upright Prairie Coneflower, Ratibida columnifera	0.110	0.110			-0.110		
White Prairie Clover, Dalea candida	0.097	0.097			-0.097		
Wild Bergamot, Monarda fistulosa	0.068	0.068			-0.068		
Yarrow, Achillea millefolium	0.008	0.008			-0.008		

	Total Planned:	2.107	2.107
Planned Grasses PLS/ft <sup>2</sup> :	0.00		Total PLS lbs. Forbs Planted:
Planned Forbs/Legumes PLS/ft <sup>2</sup> :	20.00		Total % of Mix:
Planned Total PLS/ft <sup>2</sup> :	20.00		% of mix of annual/biennial species:

## **Customer and Seed Dealer Please Note:**

Only viable, high quality and adapted seed will be used. All seed shall have a current seed test within 10 months of the planting date that lists germination, purity, and hard seed as a percentage for determining pure live seed and lists the percent of weed seed present that meets State seed quality law standards. Seed test results must be provided to the customer and USDA for confirmation that seed planted meets specifications outlined in this plan. Seed must be clean and relatively free of weed seed and contaminants. Seed that has become wet, moldy, or otherwise damaged in transit or storage is not acceptable. Certified seed is preferred but not required unless Missouri Source Identified Class Seed, or yellow tag, is denoted as being required.

Legume seed shall be inoculated with the proper, viable Rhizobium bacteria species prior to planting according to Missouri Agronomy Technical Note MO-36, "Legume Inoculation." Pre-inoculated seed shall be planted prior to the expiration date on the inoculum tag or be re-inoculated with the appropriate inoculum within 24 hours prior to seeding. Inoculated seed will not be exposed to direct sunlight. Inoculation of legumes may be waived when a current pasture inventory (JS-AGRON-24 or similar inventory) shows that the legume species to be seeded occupies more than 5 percent of the vegetative cover on the site prior to seeding.

For "Acceptable Cultivar(s)," north Missouri (MO) is all counties north of Bates, Henry, Benton, Morgan, Moniteau, Cole, Osage, Gasconade, Franklin, and St. Louis Counties. South Missouri is all counties including and south of those listed. Refer to Native Cultivars or Selections Information Sheet (IS-MO723N) for guidance on selecting the appropriate native grass cultivars to meet objectives. In all cases where a cultivar(s) is/are noted under the Acceptable Cultivar(s) heading above, Missouri Source Identified Class Seed (yellow tag seed) may be used instead of a cultivar variety or selection.

The following information applies only if "Locally adapted Missouri Source Identified Class Seed (yellow tag) required" is shown under the "Acceptable Cultivar(s)" heading above: Locally adapted Missouri Source Identified Class Seed, or yellow tag, is defined as a native plant that source genetically originated in Missouri, was not introduced, and existed within the state borders prior to arrival of settlers. All seed from herbaceous material shall comply with Missouri seed laws including Missouri Crop Improvement Association guidance. All seed will comply with AOSCA (Association of Official Seed Certifying Agencies) certification procedures (including appropriate tagging) to include third-party verification by the Missouri Crop Improvement Association of source, genetic identity, and genetic purity of wildland collected or field or nursery grown plant germplasm materials. Seed must be Missouri origin (grown in Missouri) and certified as Missouri Source Identified Class. Source Identified Certification means: parent seed is collected from natural remnant Missouri populations; no selection, testing, or breeding for specific traits; production fields are inspected to verify species, source, and lack of noxious weeds; and seed is certified for purity and germination. If Missouri origin (grown) source identified class seed is not available, Missouri source identified class seed may be obtained from adjoining states.

Mulching Specifications (After Grass Se	aedina)										
T (MILE : 1 =											
14016		Hay, Alfalfa H	lay - 1 1/2 to 2	2 1/2 Tons/Acre							
Amount of Mulch Required for This Site			_	_			_				
Minimum Rate (lbs):	3,000	OR	Tons: 1.50	<u> </u>	flaximum Rate (lbs):	5,000 OF	R Tons:	2.5			
Additional Information: n/a											
Applied											
Type of Mulch Used:											
Number of Bales:		Bale Weigh	ht, lbs:	M	lulch Applied, Tons:		Excess/	/Shortage, Tons:			
					-						
Based on the information in this job she	et, all requirements fo	or this seeding	should be con	mpleted by:		Year	:				
Was site prep completed a	as outlined above?				·	<del></del>		•			
Seeding was completed on	a	ccording to the	e above require	ements.							
	(Date)										
Producer's or Conf	ractor's Signature				Date						
For NRCS Use Only:											
Does this seeding meet all NRCS standa	rds and specifications	and was impl	lemented as pla	anned above?							
Certified by:					•						
NRCS Representative					Date		Field Office				
Additional Comments:											
When seeding is complete	When seeding is completed, return seeding plan to the Natural Resources Conservation Service with all receipts pertaining to this seeding (seed, fertilzer, lime, mulch, companion crop, labor, drill rental, etc.) and seed tests, including tags for yellow tag seed.										
	companio	orop, iabor,	arm roman, etc.	., and 3000 1631	o, moluting tags for y	yonow tag seed.					