

Additional Information:

Companion Crop Specifications

A companion crop may be established prior to or at the same time as a permanent seeding of grass, forbs, and/or legumes. The companion crop will be selected and managed to minimize competition with the permanent seeding.

Planned Companion Crop: None Planned Redtop Spring Oats Winter Wheat Rate per Acre (lbs): _____ Total Bulk Lbs to Seed: _____

Additional Information:

Applied

Companion Crop Planted:

Redtop Spring Oats Winter Wheat

Bulk Lbs Planted:	<table border="1"><tr><th>Total Lbs</th><th>Lbs/Ac</th></tr><tr><td></td><td>0.0</td></tr></table>	Total Lbs	Lbs/Ac		0.0
Total Lbs	Lbs/Ac				
	0.0				

Seeding Mix Summary														
Acres to be Seeded:		1.00												
Practice Adjustment Factor:		Broadcast Adjustment Factor:			Interseeding Adjustment Factor:								1	
Apply Adjustment Factors to:														
Planned Seed Mix				Seed Mix Purchased and Planted										
Species	Acceptable Cultivar(s)	PLS lbs/ac	Total PLS lbs Needed	Bulk lbs Seeded	% Purity	% Germ	% Dormant/ Hard Seed	PLS lbs Planted	Shortage/ Excess	% of Mix	Cultivar OR Origin for MO Source Identified Class Seed	Meets all Requirements		
Broomsedge (Bluestem), Andropogon virginicus	No cultivars available	0.440	0.440						-0.440					
Little Bluestem, Schizachyrium scoparium	Aldous (statewide), Camper (north MO), Cimarron (south MO - sandy sites only), Ozark (statewide), Yellow Tag (statewide)	0.730	0.730						-0.730					
Splitbeard Bluestem, Andropogon ternarius	No cultivars available	2.400	2.400						-2.400					
Black-eyed Susan (B), Rudbeckia hirta		0.075	0.075						-0.075					
Canada Milkvech, Astragalus canadensis		0.020	0.020						-0.020					
Common Evening Primrose (B), Oenothera biennis		0.030	0.030						-0.030					
False Sunflower, Helianthus scaberrimus		0.050	0.050						-0.050					
Foxglove Beardtongue, Penstemon digitalis		0.019	0.019						-0.019					
Golden Alexanders, Zizia aurea		0.070	0.070						-0.070					
Gray Goldenrod, Solidago nemoralis		0.010	0.010						-0.010					
Gray-headed Coneflower, Ratibida pinnata	Available: Sunglow (statewide)	0.055	0.055						-0.055					
Illinois Bundleflower, Desmanthus illinoensis	Available: Reno Germplasm (statewide)	0.150	0.150						-0.150					
Lanceleaf Coreopsis, Coreopsis lanceolata		0.100	0.100						-0.100					
Maximilian Sunflower, Helianthus maximiliani		0.010	0.010						-0.010					
Pale Purple Coneflower, Echinacea pallida		0.030	0.030						-0.030					

Mulching Specifications (After Grass Seeding)

Type of Mulch Required: None Straw, Grass Hay, Alfalfa Hay - 1 1/2 to 2 1/2 Tons/Acre

Amount of Mulch Required for This Site:
Minimum Rate (lbs): 3,000 OR Tons: 1.50 Maximum Rate (lbs): 5,000 OR Tons: 2.5

Additional Information: n/a

Applied

Type of Mulch Used: _____
Number of Bales: _____ Bale Weight, lbs: _____ Mulch Applied, Tons: _____ Excess/Shortage, Tons: _____

Based on the information in this job sheet, all requirements for this seeding should be completed by: _____ Year: _____

Was site prep completed as outlined above? _____
Seeding was completed on _____ according to the above requirements.
(Date)

Producer's or Contractor's Signature

Date

For NRCS Use Only:

Does this seeding meet all NRCS standards and specifications and was implemented as planned above? _____

Certified by: _____
NRCS Representative Date Field Office

Additional Comments: _____

When seeding is completed, return seeding plan to the Natural Resources Conservation Service with all receipts pertaining to this seeding (seed, fertilizer, lime, mulch, companion crop, labor, drill rental, etc.) and seed tests, including tags for yellow tag seed.